Wood County, Wisconsin



2025 - 2027 Land Information Plan

Wood County Land Information Office 400 Market Street Wisconsin Rapids, WI 54494-4868 (715) 421-8469 www.woodcountywi.gov **Version: 2024-12-11** Approved & Adopted by Land Information Council on: 2024-12-11

CONTENTS

EX	ECUTIVE SUMMARY
1	INTRODUCTION
2	FOUNDATIONAL ELEMENTS
	Parcel Mapping
	Address Points and Street Centerlines
3	LAND INFORMATION SYSTEM
4	CURRENT & FUTURE PROJECTS266Project Plan to Maintain Searchable Format (Benchmarks 1 & 2)277Project Plan for PLSS (Benchmark 4)277Project #1: 2022 LiDAR Flight and Additional Deliverables288Project #2: Historic Air Photo Scanning and Georeferencing299Project #3: Next Generation 911299Project #4: Research and Mapping of Right-of-Ways30Project #5: Recreation GIS Layers and Maps Development30Project #6: Parcel Fabric, Maintenance and Accuracy Improvements30Project #7: Website, Data Hosting Services, Software and Hardware31Maintenance31Oroject #8: Maps and Applications to Support Data Collection311Ongoing Costs Not Associated With a Specific Project322

EXECUTIVE SUMMARY

About this Document. This document is a land information plan for Wood County prepared by the land information officer (LIO) and the Wood County land information council. Under state statute 59.72(3)(b), a "**countywide plan for land records modernization**" is required for participation in the Wisconsin Land Information Program (WLIP). The purpose of this document is twofold: 1) to meet WLIP funding eligibility requirements necessary for receiving grants and retaining fees for land information, and 2) to plan for county land records modernization in order to improve the efficiency of government and provide improved government services to businesses and county residents.

WLIP Background. The WLIP, administered by the Wisconsin Department of Administration, is funded by document recording fees collected by register of deeds at the county-level. In 2023, Wood County was awarded \$71,000.00 in WLIP grants and retained a total of \$148,176.00 in local register of deeds document recording fees for land information.

This plan lays out how funds from grants and retained fees will be prioritized. However, as county budgets are determined on an annual basis with county board approval, this plan provides estimated figures that are subject to change and are designed to serve planning purposes only.

Land Information in Wood County. Land information is central to county operations, as many essential services rely on accurate and up-to-date geospatial data and land records. A countywide land information system supports economic development, emergency planning and response, and a host of other citizen services. The Wood County land information system integrates and enables efficient access to information that describes the physical characteristics of land, as well as the property boundaries and rights attributable to landowners.

Mission of the Land Information Office. Eliminate or reduce redundancy through the coordination and modernization of existing services provided by and between departments and agencies participating in the program. Develop and efficient delivery system for products and services offered to the public, and improve the quality of products and services offered to the public.

Land Information Office Projects. To realize this mission, in the next three years, the county land information office will focus on the following projects:

Wood Count	Wood County Land Information Projects: 2023-2027				
Project #1	2025 Orthophotography Acquisition				
Project #2	Historic Air Photo Scanning and Georeferencing				
Project #3	Next Generation 911				
Project #4	Research and Mapping of Right-of-Ways				
Project #5	Buildings and Improvements Information				
Project #6	Parcel Fabric, Maintenance and Accuracy Improvements				
Project #7	Website, Data Hosting Services, Software and Hardware Maintenance				
Project #8	GIS Metadata				

The remainder of this document provides more details on Wood County and the WLIP, summarizes current and future land information projects, and reviews the county's status in completion and maintenance of the map data layers known as Foundational Elements.

1 INTRODUCTION

In 1989, a public funding mechanism was created whereby a portion of county register of deeds document recording fees collected from real estate transactions would be devoted to land information through a new program called the Wisconsin Land Information Program (WLIP). The purpose of the land information plan is to meet WLIP requirements and aid in county planning for land records modernization.

The WLIP and the Land Information Plan Requirement

In order to participate in the WLIP, counties must meet certain requirements:

- Update the county's land information plan at least every three years
- Meet with the county land information council to review expenditures, policies, and priorities of the land information office at least once per year
- Report on expenditure activities each year
- Submit detailed applications for WLIP grants
- Complete the annual WLIP survey
- Subscribe to DOA's land information listserv
- Coordinate the sharing of parcel/tax roll data with the Department of Administration in a searchable format determined by DOA under s. 59.72(2)(a)

LAND INFORMATION

Any physical, legal, economic or environmental information or characteristics concerning land, water, groundwater, subsurface resources or air in this state.

'Land information' includes information relating to topography, soil, soil erosion, geology, minerals, vegetation, land cover, wildlife, associated natural resources, land ownership, land use, land use controls and restrictions, jurisdictional boundaries, tax assessment, land value, land survey records and references, geodetic control networks, aerial photographs, maps, planimetric data, remote sensing data, historic and prehistoric sites and economic projections.

- Wis. Stats. section 59.72(1)(a)

Any grants received and fees retained for land information through the WLIP must be spent consistent with the county land information plan.

The Statewide Parcel Map Initiative

For Strategic Initiative grant eligibility, counties are required to apply WLIP funding toward achieving certain statewide objectives, specified in the form of "benchmarks." Benchmarks for parcel data—standards or achievement levels on data quality or completeness—were determined through a participatory planning process. Current benchmarks are detailed in the WLIP grant application, as will be future benchmarks.

WLIP Benchmarks

- Benchmark 1 & 2 Parcel and Zoning Data Submission/Extended Parcel Attribute Set Submission
- Benchmark 3 Completion of County Parcel Fabric
- Benchmark 4 Completion and Integration of PLSS

More information on how Wood County is meeting these benchmarks appears in the Foundational Elements section of this plan document.

County Land Information System History and Context

The Wood County Land Information Office was officially formed through County Board Resolution #90-8-8 on August 21, 1990. The Wood County Land Information Office was originally set up under the jurisdiction of the General Claims Committee, with the Wood County Register of Deeds named as the contact person. However with the passage of Resolution #92-6-8 on June 16, 1992, the Wood County Land Information Office was moved to the Wood County Planning and Zoning Office with the Planning and Zoning Committee as the oversight committee. Wood County Land Information Office has remained

in the Wood County Planning and Zoning Office ever since.

The first seventeen years of the Land Records Modernization Program (1989 – 2006) focused on establishing the foundation on which much of the program's future would be built off of. During this time the County purchased Geographic Information Systems (GIS) software, established the staff positions of the Land Information Officer, and the Geographic Information Systems Specialist, and began developing foundational GIS data layers. In the early years of the land records modernization much of the focus was on project prioritization, needs assessments and data creation. The end of this period had many quantifiable achievements that involved significant advances in the county geographic information system. Of particular note was 2005, which say the "completion" of digital parcel mapping, the first digital aerial photography acquisition and the ArcIMS Interactive GIS Map and Property Tax Data application launched.

Since 2005, much of the focus of the land records modernization has been on maintaining and improving the quality of GIS information, acquiring new data, implementing digital imaging projects, and integrating/linking records from departments and agencies, and developing ways to improve public access to records through web applications.

From the inception of the Land Records Modernization Program, the goals have remained relatively the same, however the objectives have continually been updated as a means to achieve the goals. The objectives have changed from a focus on technical issues and data creating in the early years of the program to maintaining, sharing, publishing, and utilizing data for decision making in recent years.

County Land Information Plan Process

Counties must submit their plans to DOA for approval every three years. The 2025-2027 plan is to be completed at the end of 2024.

County Land Information Plan Timeline

- DOA release of finalized instructions by March 31, 2024.
- April–September 2024: Counties work on land info plans.
- Draft plans due to DOA by September 30, 2024 (but sooner is advised).
- Final plans with county land info council approval due by December 31st, 2024.

Plan Participants and Contact Information

Another requirement for participation in the WLIP is the county land information council, established by legislation in 2010. The council is tasked with reviewing the priorities, needs, policies, and expenditures of a land information office and advising the county on matters affecting that office.

According to s. 59.72(3m), Wis. Stats., the county land information council is to include:

- Register of Deeds
- Treasurer
- Real Property Lister or designee
- Member of the county board
- Representative of the land information office
- A realtor or member of the Realtors Association employed within the county
- A public safety or emergency communications representative employed within the county
- County surveyor or a registered professional land surveyor employed within the county
- Other members of the board or public that the board designates

The land information council must have a role in the development of the county land information plan, and DOA requires county land information councils to approve final plans.

This plan was prepared by the county LIO, the Wood County Land Information Council, and others as listed below.

Wood County Land Information Council						
Name	Title	Affiliation	Email	Phone		
Paul Bernard	Land Records Coordinator, Land Information Officer	Wood County Planning and Zoning	paul.bernard@woodcounty wi.gov	715-421-8469		
Kevin Boyer	County Surveyor	Wood County Surveyor	kevin.boyer@woodcountywi .gov	715-421-8528		
Nancy Marti	Real Property Lister	Wood County Treasurer's Office	nancy.marti@woodcountywi .gov	715-421-8479		
Bill Leichtnam	County Board Member	Wood County Board	wcdistrict19@woodcountyw i.gov	715-886-5107		
Tiffany Ringer	Register of Deeds	Wood County Register of Deeds Office	tiffany.ringer@woodcounty wi.gov	715-421-8455		
Brian Spranger	Realtor	First Weber	sprangerb@firstweber.com	715-572-7117		
Tony Bastien	Dispatch Manager	Wood County Dispatch Center	tony.bastien@woodcountyw i.gov	715-421-8668		
Heather Gehrt	Treasurer	Wood County Treasurer's Office	heather.gehrt@woodcounty wi.gov	715-421-8482		
Allen Breu	Town of Marshfield Chair	Town of Marshfield	breutown@frontier.com	715-387-4222		

* All of the above named people are members of the Wood County Land Information Council

2 FOUNDATIONAL ELEMENTS

Counties must have a land information plan that addresses development of specific datasets or map layer groupings historically referred to as the WLIP Foundational Elements. Foundational Elements incorporate nationally-recognized "Framework Data" elements, the major map data themes that serve as the backbone required to conduct most mapping and geospatial analysis.

In the past, Foundational Elements were selected by the former Wisconsin Land Information Board under the guiding idea that program success is dependent upon a focus for program activities. Thus, this plan places priority

FOUNDATIONAL ELEMENTS

PLSS Parcel Mapping LiDAR and Other Elevation Data Orthoimagery Address Points and Street Centerlines Land Use Zoning Administrative Boundaries Other Layers

on certain elements, which must be addressed in order for a county land information plan to be approved. Beyond the county's use for planning purposes, Foundational Element information is of value to state agencies and the WLIP to understand progress in completion and maintenance of these key map data layers.

Layer Status

Status/Comments Number of PLSS corners (section, ¼, meander) set in your county 2.615 Number of PLSS corners thapable of being remonumented in your county that have been remonumented 2.615 (100%) Number of PLSS corners this survey grade coordinates (see below for definition) 2.615 (100%) SUREVE (RADE - coordinates collected under the direction of a Professional Land Surveyor, in a coordinate system allowed by 236.18(2), and obtained by means, methods and equipment capable of repeatable 2 centimeter or better elevant information 2.615 (100%) Number of nor-survey grade PLSS corners wordinates integrated into county digital parcel layer (see definition do county digital parcel layer (see definition do county digital parcel layer (see definition county digital parcel layer (see definition do county digital parcel layer (see definition county digital parcel layer (see definition do county digital parcel layer (see definition dig ton thave coordinate values) (Parcentage of remonumented PLSS cor	PLSS Layer Status						
original government survey that can be remonumented in your county. Image: Construction of a Professional Land Surveyor, in a coordinate system allowed by 236.18(2), and obtained by means, methods and equipment capable of repeatable 2 continetes collected under the direction of a Professional Land Surveyor, in a coordinates system allowed by 236.18(2), and obtained by means, methods and equipment capable of repeatable 2 contineter or better • APPROXIMATE – point precision within 5 meters or coordinates derived from public records or other relevant information 2,615 (100%) Number of non-survey grade PLSS corner coordinates integrated into county digital parcel layer (see definition of PLSS integration on page 37) 2,615 (100%) Number of non-survey grade PLSS corner coordinates integrated into county digital parcel layer (see definition of PLSS integration on page 37) 2,615 (100%) Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) 9 Percentage of remonumented PLSS corners that have tie sheets or surveys, but do not have coordinate values PLS corners believed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values PLS corners believed to be termonumented based of bitterated 0 Which system(5 for corner point identification/ numbering system known as Wisconsin Corner Point identification System (BLM Point ID Standard, or other romer point ID system)? • No Does the county employ (e.q., the Romport point numbering system known as Wisconsin Corner Point identification System (BLM Point ID Standard, or other romer point ID system)? • No		St	atus/Comments				
your county that have been remonumented Number of remonumented PLSS corners with survey grade ocordinates (see below for definition) • SURVEY GRADE - coordinates collected under the direction of a Professional Land Surveyor, in a coordinate system allowed by 236.18(2), and obtained by means, methods and equipment capable of repeatable 2 centimeter or better precision • SUB-METRE P. point precision of 1 meter or better relevant information Number of survey grade PLSS corner coordinates integrated into county digital parcel layer (see definition of PLSS integration on page 37) Number of non-survey grade PLSS corner coordinates integrated into county digital parcel layer Tie sheets available online (whether or not they have corresponding coordinate values) Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) PLS corners believed to be remonumented based on filed tie sheets or surveys, but do not have coordinate values Approximate number of PLSS corners believed to be lost or obliterated Which system(s) for coner point identification/ numbering does the county employ (e.g., the Romport] point numbering system known as Wisconsin Corner Point Identification System; Does the county contain any non-PLSS areas (e.g., river ront top lost, French land claims, private claims, farm lost, French long lots, etc.) or any special situations regarding PLSS corners along each bordering court total number of PLSS corners along each bordering court boundary. Number of remonumented PLSS corners along each courty 241 (100%)	original government survey that can be remonumented in	•	2,615				
Number of remonumented PLSS corners with survey grade coordinates (see below for definition) SURVEY GRADE - coordinates collected under the direction of a Professional Land Surveyor, in a coordinates system allowed by 236.18(2), and obtained by means, methods and equipment capable of repeatable 2 centimeter or better precision SUB-METER - point precision of 1 meter or better APPROXIMATE - point precision within 5 meters or coordinates derived from public records or other relevant information Sub-METER - point precision within 5 meters or coordinates derived from public records or other relevant information Sumber of non-survey grade PLSS corner coordinates integrated into county digital parcel layer Yes https://gis.woodcountywi.gov/Land-Records-Viewer/ Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) and a corresponding URL path/hyperlink value in the PLSS geodatabase PLSS corners beliewed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values PC contrary for corner point identification / mumbering dese the county employ (e.g., the Romportl point numbering system, the BLM Point ID Standard, or other corner point ID system)? Post the county contain any non-PLSS areas (e.g., river fornotage long lots, French land claims, private claims, farm tost, French long lots, etc.) or any special situations regarding PLSS corners along each bordering county boundary 		•	2,615 (100%)				
integrated into county digital parcel layer (see definition of PLSS integration on page 37) Number of PLSS integration on page 37) Number of PLSS integration on page 37) • 0 Tie sheets available online? • Yes https://gis.woodcountywi.gov/Land-Records-Viewer/ Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) • 100% Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) • 100% VBL path/hyperlink value in the PLSS geodatabase • 0 PLSS corners believed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values • 0 Approximate number of PLSS corners believed to be lost or obliterated • 0 Which system(s) for corner point identification/ numbering does the county employ (e.g., the Romportl point numbering system known as Wisconsin Corner Point lo System)? • Romportl numbering system also known as Wisconsin Corner Point Identification System Does the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, farm long LSS corners along each bordering county • 241 Number of PLSS corners along each bordering county • 241 (100%)	 Number of remonumented PLSS corners with survey grade coordinates (see below for definition) SURVEY GRADE – coordinates collected under the direction of a Professional Land Surveyor, in a coordinate system allowed by 236.18(2), and obtained by means, methods and equipment capable of repeatable 2 centimeter or better precision SUB-METER – point precision of 1 meter or better APPROXIMATE – point precision within 5 meters or coordinates derived from public records or other relevant information 	•	2,615 (100%)				
Integrated into county digital parcel layerTie sheets available online?• Yes https://gis.woodcountywi.gov/Land-Records-Viewer/Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values)• 100%Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values)• 100%Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values)• 100%PLSS corners believed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values• 0Approximate number of PLSS corners believed to be lost or obliterated• 0Which system(s) for corner point identification/ numbering does the county employ (e.g., the Romportl point numbering system known as Wisconsin Corner Point identification System, the BLM Point ID Standard, or other corner point ID system)?• NoDoes the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS data for tribal lands?• NoTotal number of PLSS corners along each bordering county boundary• 241• 241Number of PLSS corners along each county boundary• 241	integrated into county digital parcel layer (see <u>definition of PLSS integration</u> on page 37)						
Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) • 100% Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) • 100% Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) • 100% URL path/hyperlink value in the PLSS geodatabase • 0 PLSS corners believed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values • 0 Approximate number of PLSS corners believed to be lost or obliterated • 0 Which system(s) for corner point identification/ numbering does the county employ (e.g., the Romportl point Identification System, the BLM Point ID Standard, or other corner point ID system)? • Romportl numbering system known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point JD system)? • No Does the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS corners along each bordering county • 241 Number of PLSS corners along each county • 241 (100%)		•	0				
sheets available online (whether or not they have corresponding coordinate values)100%Percentage of remonumented PLSS corners that have tie sheets available online (whether or not they have corresponding coordinate values) and a corresponding URL path/hyperlink value in the PLSS geodatabase100%PICS corners believed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values0Approximate number of PLSS corners believed to be lost or obliterated0Which system(s) for corner point identification/ numbering does the county employ (e.g., the RomportI point numbering system known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point ID system)?RomportI numbering system also known as Wisconsin Corner Point Identification SystemDoes the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS data for tribal lands?NoTotal number of PLSS corners along each bordering county boundary241 (100%)Number of remonumented PLSS corners along each county boundary241 (100%)	Tie sheets available online?	•	Yes https://gis.woodcountywi.gov/Land-Records-Viewer/				
sheets available online (whether or not they have corresponding coordinate values) and a corresponding URL path/hyperlink value in the PLSS geodatabasePLSS corners believed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values• 0Approximate number of PLSS corners believed to be lost or obliterated• 0Which system(s) for corner point identification/ numbering does the county employ (e.g., the Romportl point numbering system known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point ID system)?• Romportl numbering system also known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point lo system)?• NoDoes the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS corners along each bordering county boundary• 241Number of PLSS corners remonumented along each county boundary• 241 (100%)	sheets available online (whether or not they have	•	100%				
PLSS corners believed to be remonumented based on filed tie-sheets or surveys, but do not have coordinate values• 0Approximate number of PLSS corners believed to be lost or obliterated• 0Which system(s) for corner point identification/ numbering does the county employ (e.g., the Romportl point numbering system known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point ID system)?• Romportl numbering system also known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point ID system)?• NoDoes the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS data for tribal lands?• NoTotal number of PLSS corners along each bordering county boundary• 241 (100%)Number of remonumented PLSS corners along each county • 241 (100%)	sheets available online (whether or not they have corresponding coordinate values) and a corresponding	•	100%				
obliteratedWhich system(s) for corner point identification/ numbering does the county employ (e.g., the Romportl point numbering system known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point ID system)?• Romportl numbering system also known as Wisconsin Corner Point Identification System • Bureau of Land Management (BLM) Point ID • Wood County Internal Numbering SystemDoes the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS data for tribal lands?• NoTotal number of PLSS corners along each bordering county boundary• 241Number of remonumented PLSS corners along each county boundary• 241 (100%)	PLSS corners believed to be remonumented based on filed	•	0				
numberingdoes the county employ (e.g., the Romportl point numbering system known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point ID system)?Point Identification System Bureau of Land Management (BLM) Point ID Wood County Internal Numbering SystemDoes the county contain any non-PLSS areas (e.g., river frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS data for tribal lands?• NoTotal number of PLSS corners along each bordering county boundary• 241Number of remonumented PLSS corners along each county boundary• 241 (100%)		•	0				
frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS data for tribal lands?• 241Total number of PLSS corners along each bordering county boundary• 241Number of PLSS corners remonumented along each county boundary• 241 (100%)Number of remonumented PLSS corners along each county • 241 (100%)• 241 (100%)	numbering does the county employ (e.g., the Romportl point numbering system known as Wisconsin Corner Point Identification System, the BLM Point ID Standard, or other corner point ID system)?	•	Point Identification System Bureau of Land Management (BLM) Point ID Wood County Internal Numbering System				
Number of PLSS corners remonumented along each county • 241 (100%) boundary • 241 (100%) Number of remonumented PLSS corners along each county • 241 (100%)	frontage long lots, French land claims, private claims, farm lots, French long lots, etc.) or any special situations regarding PLSS data for tribal lands?						
boundary Number of remonumented PLSS corners along each county • 241 (100%)			241				
	boundary	•	241 (100%)				
		•	241 (100%)				

Custodian

• County Surveyor and Land Information Office

Maintenance

Ongoing maintenance of the PLSS will be accomplished through a planned, long-term
program with the goal of occupying each corner every ten to fifteen years, depending on
location, condition, and other significant factors (such as road construction). There is also an
annual contract to ensure that corners affected by road construction are occupied both before
and after the road construction occurs. There is a bounty program that awards surveyors for
submitting tie sheets and coordinates.

Standards

• Statutory Standards for PLSS Corner Remonumentation

- s. 59.74, Wis. Stats. Perpetuation of section corners, landmarks.
- s. 60.84, Wis. Stats. Monuments.
- ch. A-E 7.08, Wis. Admin. Code, U.S. public land survey monument record.
- ch. A-E 7.06, Wis. Admin. Code, Measurements.
- s. 236.15, Wis. Stats. Surveying requirement.
- North American Terrestrial Reference Frame of 2022 (NATRF2022)
- SURVEY GRADE standard from Wisconsin County Surveyor's Association:
 - SURVEY GRADE coordinates collected under the direction of a Professional Land Surveyor, in a coordinate system allowed by 236.18(2), and obtained by means, methods and equipment capable of repeatable 2 centimeter or better precision

Other Geodetic Control and Control Networks

High Accuracy Reference Network (HARN)

Layer Status

 Wood County completed a densification from stations within the Wisconsin High Accuracy Reference Network (HARN) in 1995 with the assistance of a WLIP grant. In total, 104 monuments are included in this network: 12 16" diameter x 5' deep concrete monuments built to DOT specifications, 5 NGS monuments that were already in existence, 75 6" diameter by 7' deep concrete and steel monuments designed by local surveyors, and 12 section corner monuments, all of which are Harrison or Waupaca Foundry cast iron.

Custodian

- County Surveyor and Land Information Office
- Maintenance
 - None

Standards

• The Wood County geodetic network was developed with three levels of accuracy, and complies with the WLIB Specifications and Guidelines to support Densification of the Wisconsin High Accuracy Reference Network (HARN) using GPS Technology.

Parcel Mapping

Parcel Geometries

Layer Status

- Progress toward completion/maintenance phase: 100% of the country's parcels are available in a commonly used digital GIS format.
- Spatial Reference: Parcels are edited in the following Projected & Geographic Coordinate System:
 - Projected Coordinate System: NAD 1983 HARN Wisconsin CRS Wood
 - Projection: Lambert Conformal Conic
 - Authority: EPSG
 - WKID: 8096
 - Geographic Coordinate System: NAD 1983 HARN
 - Authority: EPSG
 - WKID: 4152
- Integration of tax data with parcel polygons: Tax and assessment attributes are maintained by the Real Property Lister, these attributes are joined the Tax Parcel geometry during the publication process.
- Online Parcel Viewer Software/App and Vendor name: Wood County uses ESRI WebAppBuilder for ArcGIS to create and maintain the Online Parcel Viewer.
- Unique URL path for each parcel record:
 - Catalis Land Records Management Software https://pp-wood-co-wifb.app.landnav.com/Search/RealEstate/Search/ParcelRedirect?ParcelNumber= <va lue>
 - Land Records Viewer https://gis.woodcountywi.gov/Land-Records-

Viewer/index.html?find=<value>

where <value> is the Parcel Identification Number (PIN)

Custodian

• Land Records Coordinator and Real Property Lister

Maintenance

• **Update Frequency/Cycle:** Parcel geometry and attributes are updated on a regular basis. The tax parcels are typically updated weekly.

Standards

 Wood County has worked very hard to adhere to the Statewide Parcel Map Initiative standard. In recent years thanks to the acquisition of GCS Land Records Management Software and improvements in our Site Address Point Data we have been able to regularly publish to the Statewide Parcel Map Initiative schema. This schema has become Wood County's schema with very few modifications. While there is some metadata present on the layer itself and on our Open Data page, the most complete metadata is actually one and the same of the Statewide Parcel Map Initiative which can be found here: https://www.sco.wisc.edu/parcels/data/

Parcels Without Land Value

Layer Status

Number of parcels without a land value recorded to-date:

- 50 +/- as of date 09/30/2024
- County geolocates/maps parcels for improvements only and without a land value by:
 - Act 12 of 2023 amended sec. 70.17(1), Wis. Stats and removed the option of assessing improvements on leased land as personal property.
 - According to the Department of Revenue, state law provides two processes to list and value buildings, improvements, and fixtures that are on leased land, exempt land, forest cropland and managed forest land along with mobile homes not subject to a parking permit fee or otherwise exempt.
 - **A.** Under sec. 70.03, Wis. Stats. update the existing parcel's listing and value to include all buildings, improvements, and fixtures.
 - B. Under secs. 70.17(3) or 70.27, Wis. Stats create a separate parcel for the buildings, improvements, and fixtures. Sec. 70.17(3) provides for real property assessment with only an improvement value.
 - For (B.) indicate how the county maps these parcels without land values
 - By creating new polygons and parcel stacking

Assessment/Tax Roll Data

Layer Status

• Progress toward completion/maintenance phase: NA

Tax Roll Software/App and Vendor name: Catalis Land Records Management Software
Custodian

County Treasurer and Real Property Lister

Maintenance

- Maintenance of the Searchable Format standard: To maintain the Searchable Format standard, the county will continue to support the export scripts needed to format tax roll attributes to the searchable format in a way that they can be joined to parcel polygons.
 - Searchable Format Workflow: The county maintains parcel/tax roll data in the Searchable Format or close enough to the Searchable Format that little to no human labor is required for the annual submission of parcel/tax roll data to DOA.

Standards

- Wisconsin Department of Revenue Property Assessment Manual and attendant DOR standards
- DOR XML format standard requested by DOR for assessment/tax roll data

- s. 73.03(2a), Wis. Stats. Department of Revenue (DOR) Powers and duties defined.
 Department of Revenue Property Assessment Manual Chapter 5 and DOR format standard requested by DOR for assessment/tax roll data
- S. 59.72(2)(a), Wis. Stats. Presence of all nine "Act 20" attributes
- S. 59.72(2)(a), Wis. Stats. Crosswalk of attributes

ROD Real Estate Document Indexing and Imaging

Layer Status

- Grantor/Grantee Index: In process of back indexing. Deeds and miscellaneous records are indexed to approximately 1930. Mortgages are back indexed to approximately 1976. Lis Pendens indexed to June 1, 1996. All this relates to our computer system, i.e., Avid via Fidlar Technologies. We have paper grantor/grantee indexes from the beginning of Wood County (1856).
- **Tract Index:** PLSS based Computer tract goes back to August 1, 1999. Paper tract available from 1856. Tract books are scanned into the computer system.
- Imaging: Not imaged are corporate records as well as 30+ year old mortgages.
- ROD Software/App and Vendor Name: Fidlar Laredo/Tapestry/Avid

Custodian

• Register of Deeds

Maintenance

• New documents are recorded, scanned and indexed daily.

Standards

- s. 59.43, Wis. Stats. Register of deeds; duties, fees, deputies.
- ch. 706, Wis. Stats. Conveyances of real property; Recording; Titles.

LiDAR and Other Elevation Data

LiDAR

Layer Status

- Most recent acquisition year: 2022
- Accuracy: QL1
- Nominal Pulse Spacing: 1 meter
- **Contractor's standard, etc.:** A comparison of the ground survey versus LiDAR model values indicates a vertical root mean square error (RMSEz) of 0.399 feet. This is well within the FEMA specified vertical accuracy tolerance of 0.61 feet. RMSEz varies depending on land cover:
 - RMSEz Urban 0.110 US Survey Feet
 - RMSEz Low Grass 0.139 US Survey Feet
 - RMSEz Tall Grass 0.319 US Survey Feet
 - RMSEz Low Trees 0.322 US Survey Feet
 - RMSEz Tall Trees 0.397 US Survey Feet

• Next planned acquisition year: N/A

Custodian

• Land Records Coordinator

Maintenance

• LiDAR data is not actively maintained or updated.

Standards

• USGS Lidar Base Specification

LiDAR Derivatives

e.g., Bare-Earth Digital Terrain Model (DTM), Bare-Earth Elevation Contours, Bare-Earth Digital Elevation Model (DEM), Digital Surface Model (DSM), Hydro-Enforced DEMs, etc.

Layer Status

• LiDAR derivatives are listed below and are derived from the 2022 LiDAR flight:

- Classified Point Cloud
- Hydro Flattening Breaklines
- Bare Earth DEM (Digital Elevation Model)
- First Return DSM (Digital Surface Model)
- I Foot Contours
- Intensity Imagery
- Hydro-Enforced DEM (Digital Elevation Model)
- Culvert Inventory
- Closed Depressions
- Catchment Polygons
- Flow Accumulation Polylines

Custodian

Land Records Coordinator

Maintenance

• LiDAR data is not actively maintained or updated.

Standards

USGS LiDAR Base Specification

Orthoimagery

Orthoimagery

Layer Status

- Most recent acquisition year: 2020
- Resolution: 6 Inch
- Contractor's standard: ASPRS Class II horizontal accuracy specifications at 1" = 100' map scale. The horizontal accuracy meets or exceeds 2.0 feet RMSE using the National Standards for Spatial Data Accuracy (NSSDA) standards.
- Next planned acquisition year: 2025

Custodian

Land Records Coordinator

Maintenance

• New Orthoimagery is acquired every five years through the Wisconsin Regional Orthophotography Consortium (WROC) program. The next flight is planned for 2025.

Standards

National Map Accuracy Standards

Historic Orthoimagery

Layer Status

Wood County, like most other counties has a wide variety of historic aerial imagery dating as far back as the mid-thirties. The most comprehensive list of historic aerial imagery can be found on the Wisconsin State Cartographer's Office (SCO) website. The website allows users to search any county in Wisconsin for imagery, and submit updates or revisions to the index if necessary. Most of the historic imagery for Wood County is not in a digital format that is usable in the GIS. Wood County does not have the original film or images for most of the historic aerial imagery because the county did not commission the acquisition of the imagery.

The first time that Wood County contracted to have the entire county flown was in 2005. This 18" black and white project was part of a consortium coordinated by the North Central Regional Planning Commission. Five years later the county acquired 18" color digital orthophotography through the Wisconsin Regional Orthophotography Consortium (WROC).

Custodian

Land Records Coordinator

Other Types of Imagery

e.g., Oblique Imagery, Satellite Imagery, Infra-red, etc.

Layer Status

Wood County has only contracted for traditional Imagery in the past. There has been thoughts
of having drone imagery, satellite imagery or oblique imagery but it has been hard to justify or
prioritize over other projects.

Address Points and Street Centerlines

Address Point Data

Layer Status

- Site address points exist for every known address in the county. There has been a considerable
 amount of effort spent in recent years to make sure our Site Address Point dataset includes
 every single address in the county, much of this effort was focused on reconciling the Tax Roll,
 InfoUSA, ALI and local utility company address lists.
- Wood County Emergency Management Agency is the county authority on addressing and it assigns new addresses for most municipalities. Several municipalities do their own addressing – the Town of Grand Rapids, Village of Biron, Village of Rudolph, Village of Milladore, Village of Port Edwards, City of Pittsville, City of Marshfield and City of Wisconsin Rapids.

Custodian

- Wood County Emergency Management Agency
- Land Records Coordinator
- Various Municipalities that do their own addressing

Maintenance

• Site address points are created or modified upon notification by an addressing authority. **Standards**

- Wisconsin GIS NG9-1-1 Data Standard (working towards)
- Wisconsin Land Information Association Address Point Data Standard (working towards)
- Computer Aided Dispatch vendor (Computer Information Systems) specific requirements

Building Footprints

Layer Status

• Following the 2020 Orthophotography flight, The Cities of Marshfield and Wisconsin Rapids both contracted out for various planimetrics including building footprints. Wood County then did a separate contract for digitizing building footprints that were not included in either cities contract. The combination of all three contracts has produced county-wide building footprints.

Custodian

• Land Records Coordinator

Maintenance

• Building footprints are based off of the most recent orthophotography. Wood County may work with the Cities of Marshfield and Wisconsin Rapids in 2025 following the next flight to update the Building Footprints.

Standards

• Internal Business Needs

Other Types of Address Information

Layer Status

- Following ESRI's Local Government information model, Wood County has developed a few enhancing features to aid in dispatching, emergency management and other business needs. These features are listed and briefly explained below:
 - Address Points the theoretical point on the road centerline at which a given address has been assigned.
 - Address Entrance Points the point at which a vehicle would gain access to a

given address, typically a driveway entrance.

- Point to Site Connection Lines a line that connects the address point to the site address point.
- These address enhancing features are only available in rural areas.

Custodian

Land Records Coordinator

Maintenance

• These address enhancing features are typically updated with each new orthophotography flight. We are currently looking into GPSing new features as addresses are assigned.

Standards

ESRI Local Government Information Model

Street Centerlines

Layer Status

- All public and private street and highway centerlines are mapped for the county.
- Centerline data is very attribute rich supporting all business needs of the county.
- The road centerlines were re-digitized after the 2020 orthophotography flight which was a massive improvement over our previous road centerline dataset in terms of geometry.

Custodian

Land Records Coordinator

Maintenance

 Data is updated when new roads are created, existing roads are vacated or if road names are changed and/or clarified.

Standards

- Wisconsin GIS NG9-1-1 Data Standard
- Wisconsin Land Information Association Street Centerline Data Standard
- Computer Aided Dispatch vendor (Computer Information Systems) specific requirements

Rights of Way

Layer Status

- Approximate right-of-way is available for all of Wood County. A comprehensive determination of right-of-way ownership and transfers has not been completed.
- **How maintained:** The Right-of-Way is maintained as a subset of the Simultaneous Conveyance Division in the ESRI ArcGIS Pro Parcel Fabric. It is selected out as its own standalone layer during our publication process.

Custodian

• Land Records Coordinator

Maintenance

• Updated regularly in conjunction with our parcel mapping to reflect surveys, transportation plats and deeds.

Standards

• Internal Business Needs

Trails

Layer Status

 Recreation trail routes are maintained in the county parks as well as bicycle and pedestrian trails throughout the county. Snowmobile trails for the entire county are mapped, and ATV trails on county property are mapped. Public roads that are open to ATV traffic are mapped.

Custodian

• Land Records Coordinator

Maintenance

• New trail segments are GPS'd as they are added. Existing trails are GPS'd as time allows.

Standards

• Internal Business Needs

Land Use

Current Land Use

Layer Status

• Land use maps are available for all townships in Wood County and created using the Land Based Classification Standards. Land use mapping for cities and villages will be completed in the future on as-needed basis. Land use codes that are used in the tax parcel database are compliant with the Department of Revenue Land Use Classification System.

Custodian

• Planning and Zoning

Maintenance

• Land use maps are updated as projects require and based off of the most recent imagery available at that time. Most townships have not been remapped since the creation of the layer over 10 years ago.

Standards

American Planning Association Land Based Classification Standards (LBCS)

Future Land Use

Layer Status

• Future Land Use was created as a product of the Wood County Comprehensive Plan that was completed in 2010. Future Land Use is based off of wetlands, floodplains, and water bodies that limit or prohibit future development.

Custodian

• Planning and Zoning

Maintenance

• Future Land Use maps would be updated along subsequent comprehensive plans.

Standards

• s. 66.1001, Wis. Stats. Comprehensive planning.

Zoning

County General Zoning

Layer Status

• Not administered by county.

Shoreland Zoning

Layer Status

• The county does maintain a GIS representation of county shoreland zoning boundaries. Shoreland areas were determined by buffering the hydrography layer as defined by the County Shoreland Zoning Ordinance. This layer is only a graphical representation and not an official boundary delineation.

Custodian

- Planning and Zoning
- Land Records Coordinator

Maintenance

• Shoreland Zoning buffers will be updated as hydrography layers are improved.

Standards

• Wood County Shoreland Zoning Ordinance

Farmland Preservation Zoning

Layer Status

• Not administered by county.

Floodplain Zoning

Layer Status

- The County does maintain a GIS representation of floodplain zoning boundaries.
- The county's floodplain zoning GIS data is the same as/identical to the FEMA map.
- In 2010, Federal Emergency Agency (FEMA) initiated a floodplain mapping update. Although the mapping used the best available information, accurate LiDAR elevation data is now available and should be used to accurately delineate floodplains.

Custodian

- Federal Emergency Management Agency
- Land Records Coordinator

Maintenance

• Updated when FEMA updates their data.

Standards

• Standards set by Federal Emergency Management Agency

Airport Protection

Layer Status

• Not administered by county.

Municipal Zoning Information Maintained by the County

- **Layer Status**
 - There are many towns, cities and villages that are zoned in Wood County. With the exception of the City of Wisconsin Rapids and the City of Marshfield, Wood County works with each zoned municipality to create updated GIS layers for Municipal Zoning. These layers are then used in web applications specific to each municipality that Wood County hosts.
 - Extra-Territorial Boundaries are maintained for the three municipalities that have the boundaries – Village of Port Edwards (1.5 miles), City of Marshfield (3 miles), City of Wisconsin Rapids (3 miles).

Custodian

- Planning and Zoning
- Land Records Coordinator

Maintenance

 Municipal Zoning is maintained on a regular basis but this does depend heavily on which municipality it is for as some municipalities are more expedient in notifying the county of updates.

Standards

Internal Business Needs

Administrative Boundaries

Civil Division Boundaries

Layer Status

• The civil boundaries within Wood County were constructed using our parcel data, PLSS data and annexation documents.

Custodian

Land Records Coordinator

Maintenance

As needed to reflect annexations

Standards

• Consolidated Boundary Annexation Survey (CBAS)

School Districts

Layer Status

- Progress toward completion/maintenance phase: in Maintenance Phase
- **Relation to parcels:** School Districts is a field that is found in the tax database and is populated for every tax parcel record in Wood County
 - Attributes linked to parcels: the "SCHOOLDIST (School District)" and "SCHOOLDISTNO (School District Number)" fields that are found in our tax parcels are populated directly from the tax database.

Custodian

- Real Property Lister
- Land Records Coordinator

Maintenance

As needed

Standards

• Consolidated Boundary Annexation Survey (CBAS)

Election Boundaries

e.g., Voting Districts, Precincts, Wards, Polling Places, etc.

Layer Status

• The county created municipal ward, aldermanic and supervisory districts during the 2020 redistricting.

Custodian

- County Clerk
- Land Records Coordinator

Maintenance

• As needed to reflect annexations and elections.

Standards

• Consolidated Boundary Annexation Survey (CBAS)

Emergency Service Boundary – Law/Fire/EMS

Layer Status

- **Law Enforcement:** Law Enforcement boundaries are fully integrated with the Emergency Service Boundaries and are extracted during our publication process.
- **Fire:** Fire boundaries are fully integrated with the Emergency Service Boundaries and are extracted during our publication process.
- **EMS:** EMS boundaries are fully integrated with the Emergency Service Boundaries and are extracted during our publication process.

Custodian

- Land Records Coordinator
- Dispatch Manager

Maintenance

• The Emergency Service Boundaries are updated as needed.

Standards

- Wisconsin GIS NG9-1-1 Data Standard (working towards)
- Computer Aided Dispatch vendor (Computer Information Systems) specific requirements

Public Safety Answering Points (PSAP) Boundary

Layer Status

• **PSAP Boundary:** The PSAP Boundary is one and the same as the Wood County Boundary.

Custodian

- Land Records Coordinator
- Dispatch Manager

Maintenance

Update as needed

Standards

- Wisconsin GIS NG9-1-1 Data Standard (working towards)
- *Computer Aided Dispatch vendor (Computer Information Systems) specific requirements

Provisioning Boundary

Layer Status

• The Provisioning Boundary is one and the same as the Wood County Boundary.

Custodian

- Land Records Coordinator
- Dispatch Manager

Maintenance

• Update as needed

Standards

- Wisconsin GIS NG9-1-1 Data Standard
- Computer Aided Dispatch vendor (Computer Information Systems) specific requirements

Native American Lands

Layer Status

• All Native American lands are included in the County Tax Parcels and can be queried and mapped on request.

Custodian

- Real Property Lister
- Land Records Coordinator

Maintenance

• The Native American Lands are maintained in the tax parcel layer so that changes in ownership reflected in the tax database will be reflected in the tax parcels.

Standards

• Statewide Parcel Map Initiative Standards

Other Administrative Districts

Layer Status

 Wood County has 7 recreational parks, 38,000 acres of county forest land and 18,500 acres of Wood County State Wildlife area. All public lands are included in the County parcel mapping database. Additionally, public land amenities such as beaches, campgrounds, boat access, etc. are mapped to support map creation.

Custodian

- Parks and Forestry
- Land Records Coordinator

Maintenance

• Updated as needed.

Standards

Internal Business needs

Other Layers

Hydrography Maintained by County or Value-Added

Layer Status

• Hydrography has been digitized off of the 2020 Air Photo.

Custodian

Land Records Coordinator

Maintenance

• Hydrography layers are edited against aerial photography and LiDAR layers as time allows.

Standards

- Internal Business Needs
- USGS Elevation-Derived Hydrography Specifications

Cell Phone Towers

Layer Status

• Cell phone towers are mapped to support Dispatch.

Custodian

• Land Records Coordinator

Maintenance

• Updated as needed

Standards

• Computer Aided Dispatch vendor (Computer Information Systems) specific requirements

Bridges and Culverts

Layer Status

- Wood County does not currently have a layer for Bridges, we have been using the GIS data for bridges from the Wisconsin Department of Transportation that has been sufficient for our business needs.
- The Wood County Highway Department has started a culvert inventory that covers County Highways.

Custodian

- Highway Department
- Land Records Coordinator

Maintenance

• The Wood County Highway Department continues to build and maintain their culvert inventory. We are currently looking into getting a LiDAR derived culvert inventory which would result in a much more complete dataset in terms of geometry.

Standards

• Internal Business Needs

Non-Metallic Mining

Layer Status

• The Non-Metallic Mining layer is actively maintained by the Wood County Conservation department. Mining sites are visited periodically and acreages are tracked on each site.

Custodian

Land and Water Conservation

Maintenance

• Maintenance is ongoing and sites are periodically visited.

Standards

Internal Business Needs

Railroads

Layer Status

• Railroad centerlines were digitized off of the 2020 aerial photography.

Custodian

• Land Records Coordinator

Maintenance

• Updated as needed.

Standards

• Internal business needs

3 LAND INFORMATION SYSTEM


The WLIP seeks to enable land information systems that are both modernized and integrated. Integration entails the coordination of land records to ensure that land information can be shared, distributed, and used within and between government at all levels, the private sector, and citizens.

One integration requirement is listed under s. 16.967(7)(a)(1), Wis. Stats., which states that counties may apply for grants for:


The design, development, and implementation of a land information system that contains and integrates, at a minimum, property and ownership records with boundary information, including a parcel identifier referenced to the U.S. public land survey; tax and assessment information; soil surveys, if available; wetlands identified by the department of natural resources; a modern geodetic reference system; current zoning restrictions; and restrictive covenants.

This chapter describes the design of the county land information system, with focus on how data related to land features and data describing land rights are integrated and made publicly available.

Current Land Information System Diagram of County Land Information System



County Parcel Data Workflow Diagram



Technology Architecture and Database Design

This section refers to the hardware, software, and systems that the county uses to develop and operate computer systems and communication networks for the transmission of land information data.

The Wood County Land Information System runs on Wood County's local area network and is supported by the Information Systems (IS) Department. The IS Department is committed to supporting all activities of the Land Records Modernization Program and has been a reliable contributor to system development and support.

Wood County Land Information uses two Windows Server 2019 virtual machines (DB-GIS20 and WEB-GIS), Amazon Web Services and ArcGIS Online. DB-GIS is the file server, WEB-GIS is the web server. Both of these machines run on ArcGIS Server Standard Workgroup to support data editing and publishing web services. Amazon Web Services and ArcGIS Online are employed to decrease demand on WEB-GIS, data backups and document storage.

Hardware

- DB-GIS20 Windows Server 2019 virtual server
- WEB-GIS Windows Server 2019 virtual server
- Trimble Geo 7x GPS Unit
- Trimble R1 GPS Unit

Software

- ArcGIS for Server
- ArcGIS Desktop
- County currently uses ArcGIS Pro: Yes
- County plans to upgrade to ArcGIS Pro: Yes Already upgraded

Website Development/Hosting

- All website development is done in-house, ArcGIS Online or Amazon Web Services (AWS).
- Web Applications are developed using ArcGIS Online and ArcGIS Web AppBuilder Developer Edition.

Metadata and Data Dictionary Practices

Metadata Creation

• **Metadata creation and maintenance process:** Metadata is created and maintained for Wood County GIS layers that are shared in our open data portal. It is a long term goal to have solid metadata on all Wood County GIS layers.

Metadata Software

- Metadata software:
 - The software does generate metadata consistent with the FGDC Content Standard for Digital Geospatial Metadata, and ISO geographic metadata standard 19115.
 - ArcCatalog is used for Metadata creation.
- **Metadata fields manually populated:** Summary, Abstract, Use Limitations and occasionally data layer fields are manually populated.

Municipal Data Integration Process

- The cities of Marshfield and Wisconsin Rapids are the only two municipalities with in-house GIS staff. Of those two, Marshfield edits their own parcel data in GIS. Marshfield shares parcels, addresses, roads etc. to incorporate in countywide datasets. Wisconsin Rapids accesses county parcel and other base layers through an ArcGIS Server Geodata Service.
- In the past, the Land Information Office has provided data to any contractors that are working on projects for municipalities. In fact, some contractors even incorporate county web services via REST into municipal projects.

Public Access and Website Information

Public Access and Website Information (URLs)

Public Access and Website Information						
GIS Webmapping Application(s) Link - URL	GIS Download Link – URL	Real Property Lister Link - URL	Register of Deeds Link - URL			
https://gis.woodcountywi.gov/	https://wood-county-geohub- woodwi.hub.arcgis.com/	https://pp-wood-co-wi- fb.app.landnav.com/	https://www.woodcountywi.gov/dep artments/rod/landrecords.aspx			

Single Landing Page/Portal for All Land Records Data

URL

https://www.woodcountywi.gov/Departments/PZ/LandRecords.aspx

Web Services/REST End Points

URL

https://gis.woodcountywi.gov/gis/rest/services

County Webpage with Link to Statewide Parcel Map (www.sco.wisc.edu/parcels/data)

URL

https://www.woodcountywi.gov/Departments/PZ/LandRecords.aspx

Municipal Website Information			
Municipal Website	Municipal Website URL		
City of Wisconsin Rapids	https://www.wirapids.org/maps-gis.html		
City of Marshfield	https://comgis.ci.marshfield.wi.us/mpv/		

Data Sharing Data Availability to Public

Wood County makes land records information available according to the requirements of the Wisconsin Open Records Law. The public has free, both in terms of cost and barriers, access to land records through the county interactive land records viewer map, The Land Records Portal and Open Data Portal. Even costly data like orthophotography and LiDAR are available for free.

Data Sharing Restrictions and Government-to-Government Data Sharing

Data Sharing Restrictions

• Wood County imposes no use restrictions. Users are free to share and adapt the data for any purpose, even commercially. We do ask that users give appropriate attribution of our source data.

Government-to-Government Data Sharing

• Data sharing is encouraged because of the resulting cost savings and efficiencies. The county has used both formal and informal agreements to share data when necessary. Wood County does not require agreements for Government-to-Government data sharing.

Training and Education

The Land Information Office has offered GIS training sessions that were open to other governmental agencies and the general public. We support training opportunities offered by the Wisconsin Land Information Association (WLIA) and ESRI Wisconsin User Group (EWUG) because they are effective ways of providing information on timely topics at a reasonable price.

All county staff have internet access to online training or coursework, and participation in training sessions

is encouraged. On occasion, educational sessions and demonstrations are presented to staff, elected officials and the general public.

WLIP Training and Education funds are used to supplement the cost of sending staff to training at conferences and workshops.

4 CURRENT & FUTURE PROJECTS

This chapter lists the current and future land information projects the county is currently undertaking or intends to pursue over its planning horizon. A project is defined as a temporary effort that is carefully planned to achieve a particular aim. Projects can be thought of as the means to achieving the county's mission for its land information system.




Figure 1. The WLIP Land Information Plan/Grant Project Cycle

Project Plan to Maintain Searchable Format (Benchmarks 1 & 2) Project Title: Project Plan to Maintain Searchable Format (Benchmarks 1 & 2)

Project Description

How Searchable Format Will Be Maintained

• Wood County will continue to support the export scripts needed to format tax roll attributes to the searchable format in a way that they can be joined to parcel polygons.

Business Drivers

• The searchable format is used by all users of the county land information system.

Objectives/Measure of Success

• The objective is to continue to meet the Searchable Format for Benchmarks 1 & 2 (Parcel and Zoning Data Submission, Extended Parcel Attribute Set Submission).

Project Timeframes

• Maintenance of the Searchable format is an ongoing effort and data is submitted to the Department of Administration by March 31st annually.

Responsible Parties

- Land Records Coordinator
- Real Property Lister

Estimated Budget Information

- Staff time should be minimal barring any extensive change to the Searchable Format.
- Since our publication routines publish to the Searchable Format on a regular basis, the cost of Benchmarks 1 & 2 maintenance has been placed in Project #7 – Parcel Fabric Maintenance and Accuracy Improvements.

Project Plan for PLSS (Benchmark 4)

Project Title: Project Plan for PLSS (Benchmark 4) Project Description

Current Status

- Tally of the total number of corners: 2615
- Remonumentation status: 2615
- Coordinate status (accuracy class) if known: Survey-Grade

Planned Approach

- Since 2018, Wood County has enjoyed 100% PLSS monumentation with survey grade coordinates. PLSS maintenance will be accomplished through:
 - Monumentation projects which will ensure that each corner is visited every 10-15 years as well as ensuring that PLSS corners effected by road construction are visited before and after construction.
 - Bounty Program that awards surveyors for submitting tie sheets and surveygrade coordinates

Missing Corner Notes

• Documentation for any missing corner data: None

County Boundary Collaboration

• The Wood County Surveyor notifies surrounding counties with updated tie sheets and coordinates.

Business Drivers

• Completion and integration of PLSS will improve the geospatial accuracy of the parcel layer and

other county land information system layers.

- Wood County has spent considerable resources to ensure that every monument has been visited, continuous maintenance is necessary to stay at this high standard.
- PLSS monuments are the fundamental building blocks for land descriptions and property ownership.
- Surveyors, engineers, realtors and other professionals rely on accurate land information.
- Parcel Mapping improvements

Objectives/Measure of Success

- The objective is to meet Benchmark 4 (Completion and Integration of PLSS) by 1/1/2027
- Number of corners to be remonumented and/or rediscovered by 2027: 60 +/-
- Number to have new coordinates established by 2027: 60+/-
- Accuracy class for these new coordinates by 2027: survey grade
- Number of new corner coordinates to be integrated into the parcel fabric by 2027: all
- Number of new tie sheets to be posted online by 2027: 60+/-
- Note these new remonumentations and tie sheets reflect routine road construction and PLSS Maintenance.

Project Timeframes

• PLSS monumentation is an ongoing effort and will run the entire plan period.

Responsible Parties

- County Surveyor
- Contracted Surveyors
- Land Records Coordinator

Estimated Budget Information

• \$5,000

Project #1: 2025 Orthophotography Acquisition

Project Description/Goal

- Obtain countywide 3" Resolution Orthophotography in 2025.
- Land Info Spending Category: Orthoimagery

Business Drivers

- Orthophotography has become one of the most important foundational elements, it supports all sorts of applications that are important for many county operations.
- Many departments both within and outside of the county are able to save a ton of time in field work as air photos can accurately depict ground conditions.
- The acquisition of higher resolution air photos has been facilitated by the Wisconsin Regional Orthoimagery Consortium (WROC), along with other potential grant opportunities.

Objectives/Measure of Success

• Delivery of Orthoimagery meeting all project specifications

Project Timeframes

Timeline – Project #1 Title					
Milestone	Duration	Date			
Project planning, getting project partners and contracts signed.	-		2024-2025		

Orthoimagery Flight	-	Spring 2025
Orthoimagery Delivered	-	Fall 2025

Responsible Parties

WROC Contractor

Estimated Budget Information

\$ 150,000 for base deliverables

Project #2: Historic Air Photo Scanning and Georeferencing

Project Description/Goal

- Wood County has contracted to do a new air photo flight every 5 years since 2005. There are many
 air photo flights that have taken place before then dating back to the 1930's.
- Many of the previous flights are not available in a digital format and none are georeferenced to a standard where we could use them as a basemap.
- There are around 15 historic flights that would be of interest to Wood County.
- Land Info Spending Category: Orthoimagery

Business Drivers

- See historic land use and development
- See where roads and railroads had been previously laid out
- Once hard-to-access information would be integrated seamlessly into online and public-facing applications.
- Wisconsin Society of Land Surveyors (WSLS) has expressed interest in the 1938 Air Photos.

Objectives/Measure of Success

• Scan, index and georeferenced historic air photos for Wood County, producing base maps that are suitable for use in our online applications.

Project Timeframes

• The main goal is to set up a workflow where we can start scanning, indexing and georeferencing historic air photo flights at the rate of about 1 every year.

Responsible Parties

Land Records Coordinator

Estimated Budget Information

• Since we do not plan to contract any work for this project out, the project cost has been made a part of "Ongoing Costs Not Associated With a Specific Project".

Project #3: Next Generation 911

Project Description/Goal

- The Wisconsin Department of Military Affairs (DMA) in collaboration with the Wisconsin Land Information Association (WLIA) has developed a Standards and Best Practices for Road Centerlines, Site/Structure Address Points, PSAP Boundaries, Emergency Service Boundaries and Provisioning Boundaries. Wood County continues to work at getting data ready for Next Generation 911 implementation in accordance with this standard.
- Land Info Spending Category: Address Points, Street Centerlines

Business Drivers

- State government is preparing for Next Generation 911 implementation
- Improve existing data for Site Address Points and Street Centerlines that support dispatch and many other county functions.
- **Objectives/Measure of Success**
 - County GIS data is NG911 compliant

Project Timeframes

• Wood County will continue to work towards Next Generation 911 compliance throughout this planning period.

Responsible Parties

- Land Records Coordinator
- Possible Consultant

Estimated Budget Information

• \$50,000

Project #4: Research and Mapping of Right-of-Ways

Project Description/Goal

- There are many locations along Wood County's roadways where right-of-way information could be clarified with a survey.
- Land Info Spending Category: Digital Parcel Mapping, Other Parcel Work

Business Drivers

- Many road records exist in the form of Transportation Project Plats, Right-of-Way Plats and town road records. While these are great reference points, there are still some areas that lack enough information to accurately map or locate where the right-of-way should be.
- Most questions in the Surveyor's Office are about Right-of-Way issues.
- Better Right-of-Way information for the parcel mapping.

Objectives/Measure of Success

- Surveys performed on road Right-of-Ways.
- Integration of better survey information into the parcel mapping.

Project Timeframes

• To Be Determined

Responsible Parties

- Land Records Coordinator
- County Surveyor
- County Highway Department
- Contracted Surveyor

Estimated Budget Information

• \$150,000

Project #5: Buildings and Improvements Information

Project Description/Goal

- Create and improve GIS layers that house information on buildings and improvements
- Land Info Spending Category: Other Parcel Work

Business Drivers

- In 2020, Wood County compiled a county-wide building footprint layer for the first time. There are
 many attributes to add to these buildings that remain in a very siloed workflow.
- Attributes maintained by Assessors and Municipalities such as construction year, building permits, remodel year are all accessible in a varying degree of difficulty.
- Collecting these types of attributes will be very valuable for realtors, general public and many county departments.

Objectives/Measure of Success

- Housing Buildings and Improvements information in Wood County's GIS.
- Sharing through existing web applications the information collected in this project.

Project Timeframes

• This project will be worked on throughout this plan period.

Responsible Parties

- Land Records Coordinator
- Possible Contractor

Estimated Budget Information

• \$100,000

Project #6: Parcel Fabric, Maintenance and Accuracy Improvements Project Description/Goal

- Wood County migrated to the ArcGIS Pro Parcel Fabric in 2020. While parcel mapping has
 improved steadily since the initial implementation in 2005, there will have to be some pretty
 focused effort spent to get the most out of ESRI's parcel fabric. This may include remapping of
 whole areas to snap to our survey control, and accurately delineate all "Parcels" in the parcel fabric
 to include Tax Parcels, Subdivisions, Subdivision Lots, Subdivision Blocks etc.
- Land Info Spending Category: Digital Parcel Mapping

Business Drivers

- Parcel data is one of the most important Foundational Elements and is used by many people.
- Surveyors, engineers, realtors, other professionals and citizens rely on accurate parcel boundaries.

Objectives/Measure of Success

- Keep parcel mapping current
- Integrate Survey-Grade PLSS Coordinates into the parcel mapping.
- Accurately depict not only tax parcels but Subdivisions, Lots and Blocks as well.

Project Timeframes

Ongoing

Responsible Parties

Land Records Coordinator

Estimated Budget Information

• Since we do not plan to contract any work for this project out, the project cost has been made a part of "Ongoing Costs Not Associated With a Specific Project".

Project #7: Website, Data Hosting Services, Software and Hardware Maintenance

Project Description/Goal

- Maintain and expand online mapping and data distribution capabilities
- Land Info Spending Category: Software, Hardware, Website Development/Hosting Services

Business Drivers

- Public demand for online land records
- Technology advancements have made distributing maps and data easier
- Technology is constantly changing and updating we must do the same

Objectives/Measure of Success

- Online GIS applications and data are available to the public
- Hardware and software required is up to date and reliable

Project Timeframes

Ongoing

Responsible Parties

- Land Records Coordinator
- Information Systems
- Contractor

Estimated Budget Information

• \$ 50,000 annually

Project #8: GIS Metadata

Project Description/Goal

- The creating of accurate and comprehensive metadata for each layer in Wood County's GIS.
- Land Info Spending Category: Administrative Activities and Management

Business Drivers

• Wood County has had a rapidly expanding GIS. It has become difficult to communicate the purpose of each layer and how it should be appropriately used.

• We want to avoid a huge learning curve when there is staff turnover. This can be facilitated by accurate descriptions of how individual GIS assets are maintained. This can be done through metadata.

Objectives/Measure of Success

• Wood County's GIS catalogue is fully documented with accurate and comprehensive metadata.

Project Timeframes

• This project will be worked on throughout this plan period.

Responsible Parties

Land Records Coordinator

Estimated Budget Information

• Since we do not plan to contract any work for this project out, the project cost has been made a part of "Ongoing Costs Not Associated With a Specific Project".

Ongoing Costs Not Associated With a Specific Project

Funding for the Land Records Coordinator Position

Since it began in 1990, the Land Information Program has been funded entirely through retained fees, contribution-based grants, strategic initiative grants, and education and training grants. The biggest recurring investment on an annual basis is funding the cost of employing a Land Records Coordinator to work towards the goals of land records modernization in the county.

The cost for Salary, Taxes, Benefits as well as office costs for the Land Records Coordinator is approximately \$97,000 a year.

Estimated Budget Information (All Projects)

			Land Info Plan Citations	
Project Title	Item	Unit Cost/Cost	Page # or section ref.	Project Total
Project Plan to Maintain Searchable Format (Benchmarks 1 & 2)	Land Records Coord		Page 27	See "Ongoing Costs Not Associated With a Specific Project"
Project Plan for PLSS (Benchmark 4)	Land Records Coord	100% of 5k = \$5k	Page 27	\$5,000
#1 2025 Orthophotography Acquisition	Contractor	100% of 150k = \$150k	Page 28	\$150,000
#2 Historic Air Photo Scanning and Georeferencing	Land Records Coord		Page 29	See "Ongoing Costs Not Associated With a Specific Project"
#3 Next Generation 911	Land Records Coord	80% of 50k = \$40k	Page 29	
	Contractor	20% of 50k = \$10k	Page 29	\$100,000
#4 Research and Mapping of Right-of-Ways	Land Records Coord	5% of 150k = \$7.5k	Page 30	
	County Surveyor	5% of 150k = \$7.5k	Page 30	
	Highway Department	10% of 150k = \$15k	Page 30	
	Contracted Surveyor	80% of 150k = \$120k	Page 30	\$150,000
#5 Buildings and Improvements Information	Land Records Coord	50% of 100k = \$50k	5	
	Contractor	50% of 100k = \$50k	Page 30	\$100,000
#6 Parcel Fabric, Maintenance and Accuracy Improvements	Land Records Coord		Page 31	See "Ongoing Costs Not Associated With a Specific Project"
#7 Website, Data Hosting Services, Software and Hardware Maintenance	Land Records Coord	50% of 150k = \$75k	Page 31	
	Information Systems	10% of 150k = \$15k		
	Contractors	40% of 150k = \$60k	Page 31	\$150,000
#8 GIS Metadata	Land Records Coord		Page 31	See "Ongoing Costs Not Associated With a Specific Project"
Ongoing Costs Not Associated With a Specific Project	Land Records Coord	100% of 113.5k = \$113.5k		\$113,500
			GRAND TOTAL	768,500

Note. These estimates are provided for planning purposes only. Budget is subject to change.

WOOD COUNTY LAND INFORMATION COUNCIL MINUTES

Date: Wednesday December 11, 2024

Location: Via Webex Teleconference and in person room 114 Attendees: Bill Leichtnam, District 19 Supervisor; Paul Bernard, Land Information Officer; Tiffany Ringer, Register of Deeds; Nancy Marti, Real Property Lister; Al Breu (via Webex), District 6 Supervisor; Victoria Wilson, Planning & Zoning; Tony Bastien, Dispatch Manager; Bill Clendenning, District 15 Supervisor; Kevin Boyer, County Surveyor

- 1. Chairperson Leichtnam called the meeting to order at 9:01 a.m.
- 2. Introductions were made.
- 3. Chairperson Leichtnam declared a quorum.
- 4. There was no public comment.
- 5. Motion by Breu/Bernard to approve the minutes of the previous meeting. Motion carried unanimously.
- 6. Round Table Discussion on Land Information
 - IT implemented a newer server which has improved GIS performance.
 - Ringer shared that although document recordings have been down statewide, recordings are up in Wood County by 271 documents since last year. She also mentioned the Judicial Privacy Shielding Act that goes into effect on April 1, 2025 and how it will affect many departments including Register of Deeds, Treasurer, Land Records, Dispatch and Surveyor.
- 7. Approval of Wood County 2025-2027 Land Information Plan
 - Bernard gave an overview of the Land Information Plan. Ringer provided two corrections. Motion by Boyer/Breu to approve the plan with the corrections provided by Ringer. Motion carried unanimously.
- 8. Budget Update
 - Bernard spoke on a new funding proposal for WLIP.
 - Bernard expressed how fortunate Land Records is to be able to pursue three separate projects through Department of Military Affairs and American Rescue Plan Act funds.
 - Additional LiDAR Deliverables
 - Improved Hydrology Breaklines
 - Closed Depressions
 - Flow Accumulation Lines
 - Catchment Basins
 - Impervious Surfaces
 - \$232,706.25
 - o 2025 3" Air Photos
 - \$145,440.00
 - Road Network Improvements, Cell Tower/Sector mapping

\$63,580.00

o TOTAL \$441,726.25 (\$382,656.40 OR 86% COVERED BY DMA/ARPA)

- Additional 2025 projects
 - Highway Right of Way Surveying \$10,000
 - Smarty Address & US Property Information \$10,000
- 9. Agenda Items for Next Meeting
 - Next meeting will tentatively be a Wednesday early in July of 2025
- 10. Chairman Leichtnam adjourned the meeting at 9:37 AM.

Minutes taken by Victoria Wilson, Planning and Zoning, and are in draft form until approved at the next meeting.